FORM PTO-1449 US Department of
Commerce Patent and
Trademark Office

ATTY DOCKET NO.
P41 90042

APPLICANT
Evans & Chen

INFORMATION DISCLOSURE
STATEMENT BY APPLICANT

O9/01/95

ATTY DOCKET NO.
SERIAL NO.
08/522,726

FILING DATE
09/01/95

GROUP 1636

Unassigned

APPLICANT
Unassigned

U.S. PATENT DOCUMENTS

EXAM. INITIALS	DOCUMENT NUMBER	DATE	NAME	CLASS	SUB- CLASS	FILING DATE
TML	5,260,432	11/09/93	Takaku et al.	1		06/22/89
THIT	5,091,518	02/25/92	Sucov et al.			11/16/89
mit	5,071,773	12/10/91	Evans et al.			10/20/87
This	4,981,784	01/01/91	Evans et al.	1		11/30/88

FOREIGN PATENT DOCUMENTS

EXAM. INITIALS	DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUB- CLASS	TRANSLATION (YES/NO)

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages)

THA	Ayer et al., "Mad-Max Transcriptional Repression is Mediated by Ternary Complex Formation with Mammalian Homologs of Yeast Repressor Sin3" Cell 80:767-776 (1995)
This	Bahouth et al. "Immunological Approaches for Probing Receptor Structure and Function" TIPS Reviews 12:338-343 (1991)
AMI	Baniahmad et al., "Modular Srurcture of a Chicken Lysozyme Silencer: Involvement of an Unusual Thyroid Hormone Receptor Binging Site" Cell 61:505-514 (1990)
TIME	Baniahmad et al., "Kindred S Thyroid Hormone Receptor is an Active and Constitutive Silencer and a Repressor for Thyroid Hormone and Retinoic Acid Responses" Proc. Natl. Acad. Sci. USA 89:10633-10637 (1992)
Tint	Baniahmad et al., "A Transferable Silencing Domain is Present in the Thyroid Hormone Receptor, in the v-erbA Oncogene Product and in the Retinoic Acid Receptor" EMBO J. 11(3):1015-1023 (1992)
THAT	Baniahmad et al., "Interaction of Human Thyroid Hormone Receptor β with Transcription Factor TFIIB May Mediate Target Gene Derepression and Activation by Thryoid Hormone" Proc. Natl. Acad. Sci. USA 90:8832-8836 (1993)
TANT	Baniahmad et al., "The 14 Activation Domain of the Thyroid Hormone Receptor is Required for Release of a Putative Corepressor(s) Necessary for Transcriptional Silencing" Mol. Cell. Biol. 15(1):76-86 (1995)

EXAMINER M. Lon	DATE CONSIDERED Oct. 8,2001
	the section is in conformance with

FORM PTO-1449 US Department of Commerce Patent and Trademark Office

ATTY DOCKET NO. P41 90042

SERIAL NO. 08/552,726

APPLICANT Evans & Chen

FILING DATE 09/01/95

GROUP /636 Unassigned

	U. 3079 3
INFORMATION DISCLO	SVDE SVDE
STATEMENT BY APPLI	CANT S S
	10 2 S
	/ 4h. '4
	PATERIA

Barlow et al., "Thyroid Abnormalities and Hepatocellular Carcinoma in Mice Transgenic for v-erbA" EMBO J. 13:4241-4250 (1994)
Berger et al., "Interaction of Glucocorticoid Analogues with the Human Glucocorticoid Receptor" J. Steroid Biochem. Molec. Biol. 41(3-8):733-738 (1992)
Bourguet et al., "Crystal Structure of the Ligand-Binding Domain of the Human Nuclear Receptor RXR-a" Nature 375:377-382 (1995)
Brent et al., "Thyroid Hormone Aporeceptor Represses T3-Inducible Promoters and Blocks Activity of the Retinoic Acid Receptor" New Biol. 1(3):329-336 (1989)
Bugge et al., "RXRα, a Promiscuous Partner of Retinoic Acid and Thyroid Hormone Receptors" <i>EMBO J.</i> 11(4):1409-1418 (1992)
Casanova et al., "Functional Evidence for Ligand-Dependent Dissociation of Thyroid Hormone and Retinoic Acid Receptors from an Inhibitory Cellular Factor" Mol. Cell. Biol. 14(9):5756-5765 (1994)
Cavaillès et al., "Interaction of Proteins with Transcriptionally Active Estrogen Receptors" Proc. Natl. Acad. Sci. USA 91:10009-10013 (1994)
Damm et al., "Protein Encoded by v-erbA Functions as a Thyroid-Hormone Receptor Antagonist" Nature 339(6226):593-597 (1989)
Damm et al., "Functional Inhibition of Retinoic Acid Response by Dominant Negative Retinoic Acid Receptor Mutants" Proc. Natl. Acad. Sci. USA 90:2989-2993 (1993)
Damm and Evans, "Identification of a Domain Required for Oncogenic Activity and Transcriptional Suppression by v-erbA and Thyroid-Hormone Receptor α" Proc. Natl. Acad. Sci. USA 90:10668-10672 (1993)
Durfee et al. "The Retinoblastoma Protein Associates with the Protein Phosphatase Type 1 Catalytic Subunit" Genes & Dev. 7:555-569 (1993)
Fondell et al., "Unliganded Thyroid Hormone Receptor Inhibits Formation of a Functional Preinitiation Complex: Implications for Active Repression" Genes & Dev. 7:1400-1410 (1993)
Gandrillon et al., "Expression of the v-erbA Oncogene in Chicken Embryo Fibroblasts Stimulates Their Proliferation In Vitro and Enhances Tumor Growth In Vivo" Cell 49:687-697 (1987)
Halachmi et al., "Estrogen Receptor-Associated Proteins: Possible Mediators of Hormone-Induced Transcription" Science 264:1455-1458 (1994)

EXAMINER	I mfor	DATE CONSIDERED	Oct 8, 2001	
XAMINED.	Initial is air-ti-			

FORM PTO-1449 US Department of Commerce Patent and Trademark Office

ATTY DOCKET NO. P41 90042

SERIAL NO. 08/552,726

APPLICANT Evans & Chen

INFORMATION DISCLOSURE STATEMENT BY APPLICANT FILING DATE 09/01/95

GROUP /636 Unassigned

This		Hollenberg and Evans, "Multiple and Cooperative Trans-Activation Domains of the Human Glucocorticoid Receptor" Cell 55:899-906 (1988)
1/M1		Kliewer et al., "Retinoid X Receptor Interacts with Nuclear Receptors in Retinoic Acid, Thyroid Hormone and Vitamin D_3 Signalling" Nature 355:446-449 (1992)
Think	-	Le Douarin et al., "The N-terminal Part of TIF1, a Putative Mediator of the Ligand-Dependant Activation Function (AF-2) of Nuclear Receptors, is Fused to B-raf in the Oncogenic Protein T18" EMBO J. 14(9):2020-2033 (1995)
Tant		Lee et al., "Interaction of the Thyroid-Hormone Receptor with a Conserved Transcriptional Mediator" Nature 374:91-94 (1995)
TMF		Levine and Manley, "Transcriptional Repression of Eukaryotic Promoters" Cell 59:405-408 (1989)
They		Mangelsdorf et al., "Nuclear Receptor that Identifies a Novel Retinoic Acid Response Pathway" Nature 345(6272):224-229 (1990)
M		Mangelsdorf et al., "A Direct Repeat in the Cellular Retinol-Binding Protein Type II Gene Confers Differential Regulation by RXR and RAR" Cell 66:555-561 (1991)
MI		Muñoz et al. "Characterization of the Hormone-binding Domain of the Chicken c- <i>erbA</i> /Thyroid Hormone Receptor Protein" <i>EMBO J.</i> 7:155-159 (1988)
MI		Saitou et al., "Inhibition of Skin Development by Targeted Expression of a Dominant-Negative Retinoic Acid Receptor" Nature 374:159-162 (1995)
Amp		Sap et al., "The <i>c-erb-A</i> Protein is a High-Affinity Receptor for Thyroid Hormone" Nature 324:635-640 (1986)
TMI		Sap et al., "Repression of Transcription Mediated at a Thyroid Hormone Response Element by the v-erb-A Oncogene Product" Nature 340:242-244 (1989)
my	บ	Schreiber-Agus et al., "An Amino-Terminal Domain of Mxil Mediates Anti- Myc Oncogenic Activity and Interacts with a Homolog of the Yeast Transcriptional Repressor SIN3" Cell 80:777-786 (1995)
TMJ		Seol et al., "Isolation of Proteins That Interact Specifically with the Retinoid X Receptor: Two Novel Orphan Receptors" Molecular Endocrinology 9(1):72-85 (1995)

DATE CONSIDERED Oct. 8, 2001

FORM PTO-1449 US Department of Commerce Patent and Trademark Office

ATTY DOCKET NO. P41 90042

SERIAL NO. 08/552,726

APPLICANT Evans & Chen

INFORMATION DISCLOSUR STATEMENT BY APPLICANT

FILING DATE 09/01/95

GROUP 1636 Unassigned

MI	Thompson et al., "Identification of a Novel Thyroid Hormone Receptor Expressed in the Mammalian Central Nervous System" Science 237:1610-1614 (1987)
TMI	Tsai et al., "A Mutated Retinoic Acid Receptor-α Exhibiting Dominant- Negative Activity Alters the Lineage Development of a Multipotent Hematopoietic Cell Line" <i>Genes & Dev.</i> 6:2258-2269 (1992)
MMZ	Tsai and Collins, "A Dominant Negative Retinoic Acid Receptor Blocks Neutrophil Differentiation at the Promyelocyte Stage" <i>Proc. Natl. Acad.</i> Sci. USA 90:7153-7157 (1993)
Phyl	Webster et al., "The Yeast UAS _g is a Transcriptional Enhancer in Human HeLa Cells in the Presence of the GAL4 <i>Trans-</i> Activator" <i>Cell</i> 52:169-178 (1988)
My	Webster et al. "The Hormone-Binding Domains of the Estrogen and Glucocorticoid Receptors Contain an Inducible Transcription Activation Function" Cell 54:199-207 (1988)
mj	Weinberger et al., "Domain Structure of Human Glucocorticoid Receptor and its Relationship to the v-erb-A Oncogene Product" Nature 318:670-672 (1985)
mj	Weinberger et al., "The c-erb-A Gene Encodes a Thyroid Hormone Receptor" Nature 324:641-646 (1986)
mx	Yang et al., "Characterization of DNA Binding and Retinoic Acid Binding Properties of Retinoic Acid Receptor" Proc. Natl. Acad. Sci. USA 88:3559-3563 (1991)
My	Yu et al., "RXR\$: A Coregulator That Enhances Binding of Retinoic Acid, Thyroid Hormone, and Vitamin D Receptors to Their Cognate Response Elements" Cell 67:1251-1266 (1991)
my	Zenke et al., "v-erbA Oncogene Activation Entails the Loss of Hormone- Dependent Regulator Activity of c-erbA" Cell 61:1035-1049 (1990)

EXAMINER M. Low	DATE CONSIDERED U - 8, 2007
-----------------	-----------------------------

FORM PTO-1449 U.S. Department of Commerce Patent and Trademark Office	Docket No. (Optional) SALK1510-3	Serial No.: 09/522,753
	Applicant(s): Evans et al.	
INFORMATION DISCLOSURE STATEMENT BY APPLICANT	Filing Date: March 10, 2000	Group Art Unit: Unassigned //636

U.S. PATENT DOCUMENTS

EXAM. INITIALS	DOCUMENT NUMBER	DATE S	NAME	CLASS	SUB- CLASS	FILING DATE
	None	MAY 2 6 2000	10 10 10			
		\ .	હ			
		TE TRACE!				

FOREIGN PATENT DOCUMENTS

EXAM. INITIALS	DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUB- CLASS	TRANSLATIO N (YES/NO)
	None					
11		7				71

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages)

Pupitati	AA -	Ayer et al., "Mad-Max Transcriptional Repression Is Mediated by Ternary Complex Formation with Mammalian Homologs of Yeast Repressor Sin3," Cell, 80:767-776,
MIL	AB °	Kao et al., "A histone deacetylase corepressor complex regulates the Notch signal transduction pathway," <i>Genes & Development</i> , 12:2269-2277, 1998
Ant	_AC 。	Laherty et al., "SAP30, a Component of the mSin3 Corepressor Complex Involved in N-CoR-Mediated Repression by Specific Transcription Factors," <i>Molecular Cell</i> , 2 :33-42, 1998

EXAMINER M. M.	- Р 1	DATE CONSIDERED
Jan July	forl	Oct. 8, 2001

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form 1449

FORM PTO-1449 U.S. Department of Commerce Patent and Trademark Office	Docket No. (Optional) SALK1510-3	Serial No.: 09/522,753
	Applicant(s): Evans et al.	MAY 26 2010
INFORMATION DISCLOSURE STATEMENT BY APPLICANT	Filing Date: March 10, 2000	Group Art Unit: Unassigned To the Control of the Co
		1636

			1636
This	AD.	Lin et al., "Role of the histone deacetylase complex in acute <i>Nature</i> , 391 :811-814, 1998	promyelocytic leukaemia,"
Ymx	AE ,	Muscat et al., "The corepressor N-CoR and its variants RIP1 interact with the basal transcription factors TFIB, TAF 32 a Research, 26/12:2899-2907, 1998	3a and RIP13∆1 directly nd TAF 70," Nucleic Acids
Amt	AF °	Ordentlich et al., "Unique forms of human and mouse nuclea SMRT," Proc. Natl. Acad. Sci. USA, 96:2639-2644, 1999	ar receptor corepressor
poprido	AG	Schrelber-Agus et al., "An Amino-Terminal Domain of Mxi- Oncogenic Activity and Interacts with a Homolog of the Yea SIN3," Cell, 80:777-786, 1995	l Mediates Anti-Myc st Transcriptional Repressor
AMI	AH ~	Song et al., "Ubiquitous receptor: A receptor that modulates acid and thyroid hormone receptors," <i>Proc. Natl. Acad. Sci. U</i>	gene activation by retinoic
1/m L	AT 4	Torchia et al., "Co-activators and co-repressors in the integrat responses," <i>Current Opinion in Cell Biology</i> , 10 :373-383, 199	
BMJ	AJ '	Tsai et al., "SMRTER, a <i>Drosophila</i> Nuclear Receptor Coregiment," Molecular Receptor Is Critical for Development," Molecular	

EXAMINER 44	
1 M Jon	DATE CONSIDERED Oct. 8, 2001
EXAMINER: Initial if citation considered, whether or not citation is	

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form 1449